

IN THE CLAIMS

Please amend the claims as follows:

1. (original) A record carrier comprising
  - a data area (22) for storing data in the form of marks, in which the data is encoded by means of a channel code, wherein a parameter of the channel code is controlled so as to introduce a predetermined run length distribution in the marks on the record carrier, thereby introducing first information relating to a watermark, and
  - a non-data area (21,23) comprising second information relating to a watermark,

the first and the second information forming the watermark.

2. (original) A record carrier as claimed in claim 1, wherein the first and the second information forming the watermark (34,36) are orientated with respect to each other.

3. (original) A record carrier as claimed in claim 2, wherein the first and the second information is orientated with respect to each other using position information (54) present in the a non-data area.

4. (currently amended) A record carrier as claimed in claim 2-~~or~~ 3, wherein the record carrier further comprises angle information indicating a predetermined angle between the first information and the second information.

5. (original) A record carrier as claimed in claim 4, wherein the angle information is used as authentication information.

6. (currently amended) A record carrier as claimed in claim 1-~~or~~ 2, wherein the non-data area is an inner-ring area (21) and/or an outer-ring area (23).

7. (currently amended) A record carrier as claimed in claim 1-~~or~~ 2, wherein the non-data area is a graphics band, text band, matrix band or identification band.

8. (original) A record carrier as claimed in claim 1, wherein the second information comprises picture and/or text information.

9. (currently amended) A record carrier as claimed in claim 1-~~or~~ 2, the data area comprising a pattern of substantially parallel tracks, wherein the predetermined run length distribution is

correlated from track to track, so that the first information is visually detectable.

10. (currently amended) A record carrier as claimed in claim 1-~~or~~ 2, wherein the first information is non-visually detectable.

11. (currently amended) A record carrier as claimed in claim 1-~~or~~ 2, in which the channel code is the EFM channel code as used for the CD Digital Audio disc, wherein the parameter is the choice of merging bits.

12. (currently amended) A record carrier as claimed in claim 1-~~or~~ 2, wherein the parameter is the choice between channel words for information words from alternative tables, for example, information words 1 up to and including 88 in the EFM+ channel code as used in DVD, or the choice between sync words or the choice between states.

13. (original) A method of providing a watermark on a record carrier, the method comprising the steps of:

- receiving uncoded data,
- receiving first information relating to the watermark, which first information is to be provided in the encoded data,

- receiving second information relating to the watermark, which second information is to be provided in a non-data area,
- encoding the uncoded data to encoded data by means of a channel code, in which a parameter of the channel code is controlled under the influence of the first information relating to the watermark for introducing a predetermined run length distribution in the marks on the record carrier,
- storing the encoded data on the record carrier,
- storing the second information in the non-data area.